

EAST Search History

10/697,820

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	714/2.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:13
L2	1	710/5.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:13
L3	1	710/29.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:14
S1	2	("20050102553").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 19:41
S2	756	logical adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:42
S3	617	logical adj object and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:42
S4	88	(logical adj object) and database and mirror and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:43
S5	83	(logical adj object) and database and mirror and storage and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:43
S6	78	(logical adj object) and database and mirror and storage and remote and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:43

EAST Search History

S7	40	(logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:47
S8	27	(logical adj object) same database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:44
S9	3	(logical adj object) same database same mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:44
S10	7	707/204.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:48
S11	2	707/10.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:12
S12	0	707/101.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:48
S13	1	707/102.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:48
S14	0	707/104.1.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 19:48
S15	2	("20050102553").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/12 16:50
S16	822	logical adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50

EAST Search History

S17	650	logical adj object and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50
S18	99	(logical adj object) and database and mirror and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50
S19	94	(logical adj object) and database and mirror and storage and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50
S20	88	(logical adj object) and database and mirror and storage and remote and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50
S21	44	(logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50
S22	30	(logical adj object) same database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50
S23	3	(logical adj object) same database same mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50
S24	10	707/204.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50
S25	2	707/10.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50
S26	0	707/101.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50

EAST Search History

S27	1	707/102.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50
S28	0	707/104.1.ccls. and (logical adj object) and database and mirror and (storage with remote) and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:50

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Mail](#) [more ▾](#)

kuen_lu@hotmail.com | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

[Advanced Search](#)

[Preferences](#)

[New!](#) [View and manage your web history](#)

Web Results 1 - 2 of 2 for logical objects multiple fragments remote site transfer receive stage control

Tip: Try removing quotes from your search to get more results.

[FreeBSD Architecture Handbook](#)

u_long rman_get_start(r) u_long rman_get_end(r) Get the **start** and **end** of Each **transfer** of a packet has a **status stage** in which the recipient of the ...

www.freebsd.org/doc/en_US.ISO8859-1/books/arch-handbook/book.html - 714k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[\[ps\] FreeBSD Architecture Handbook](#)

File Format: Adobe PostScript

cycle events for kernel **objects**, events associated with access **control** decisions that the policy Get the **start** and **end** of allocated resource range. ...

www.di.unipi.it/~scordino/sisop/freeBSDarch.ps.gz - [Similar pages](#) - [Note this](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 2 already displayed.

If you like, you can repeat the search with the omitted results included.

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

[Advanced Search Preferences](#)

New! [View and manage your web history](#)

Web Personalized Results 1 - 80 of 80 for **"logical objects" multiple fragments remote site transfer receive**

Distributed database management system for servicing application ...

System for accessing **remote** heterogeneous database including formatting There, commands such as **START**, COMMIT, **END**, CANCEL, and RELEASE allow an ...

www.patentstorm.us/patents/5835757-description.html - 128k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Distributed database architecture and distributed database ...

707/10 , Distributed or **remote** access 379/221.09 , Service **control** point (SCP There, commands such as **START**, COMMIT, **END**, CANCEL, and RELEASE allow an ...

www.patentstorm.us/patents/5764977-description.html - 126k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.patentstorm.us](#)]

Tesis

Message Transfer: this involves the delivering of Mu3D **messages** that are normally By doing this, a faster response in **remote sites** is achieved, ...

mnm.uib.es/gallir/PhD/PhD.htm - 648k - [Cached](#) - [Similar pages](#) - [Note this](#)

Da-Dm

The routines allow **control** systems to be modeled as **transfer** functions or in of diald simultaneously for connectivity with **multiple remote sites**; ...

stommel.tamu.edu/~baum/linuxlist/linuxlist/node13.html - 194k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] "The Open Grid Services Architecture, and Data Grids". In: Grid ...

File Format: PDF/Adobe Acrobat

data, structured as a set of named and typed XML **fragments** called service data reservation at the **remote site**, data **transfer** and lookup and update ...

doi.wiley.com/10.1002/0470867167.ch15 - [Similar pages](#) - [Note this](#)

[PDF] Chapter 1 - Introduction

File Format: PDF/Adobe Acrobat - [View as HTML](#)

receive messages, whereas devices may only be pure servers that **receive** an ultimate **end point**. There is no restriction on how many **start** or **end** points ...

[ftp://ftp.sce.carleton.ca/pub/cmw/dorin-petru-thesis.pdf](http://ftp.sce.carleton.ca/pub/cmw/dorin-petru-thesis.pdf) - [Similar pages](#) - [Note this](#)

[PDF] PubTeX output 2000.08.08:1217

File Format: PDF/Adobe Acrobat

Internet **Control Message** Protocol (ICMP), and Internet Protocol Version UUCP enables batched, error-free file **transfer** and **remote** command ...

h30097.www3.hp.com/docs/base_doc/DOCUMENTATION/V51_PDF/ARH8XCTE.PDF -

[Similar pages](#) - [Note this](#)

[PDF] Active Database Management Systems for Monitoring and Control

File Format: PDF/Adobe Acrobat

and **control** the network **end-to-end**. The EML provides an abstraction of the **Remote sites** are specified to subscribe to data copies using the ...

user.it.uu.se/~udbl/Theses/MartinSkoldPhD.pdf - [Similar pages](#) - [Note this](#)

[DOC] Project Acronym:

File Format: Microsoft Word - [View as HTML](#)

Off-Site Virtual Guide (**remote** information retrieval) Application Scenario Number;

Event Type; **Start** Date; **End** Date; Ref. Originator. Location ...

archeoguide.intranet.gr/papers/D04-V01-ICOM_Final.doc - [Similar pages](#) - [Note this](#)

[PDF] PATTERN-BASED DESIGN AND VALIDATION OF COMMUNICATION PROTOCOLS

By ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

message loss during data **transfer**. If a sender entity does not **receive** process **control** at the **control** label. The **remote** reference makes it possible ...

purl.fcla.edu/fcla/etd/UF0001253 - [Similar pages](#) - [Note this](#)

[PDF] EBU Tech 3300s1-2005 The middleware report; Suppl. system integration

File Format: PDF/Adobe Acrobat - [View as HTML](#)

control on a "Transfer Operation". There may be Metadata generated when a stop or **start** command is invoked. but these are different processes. ...

www.ebu.ch/CMSImages/en/tec_doc_t3300_s_tcm6-35239.pdf - [Similar pages](#) - [Note this](#)

[PDF] Good European Health Record (EC AIM GEHR A2014) Document ...

File Format: PDF/Adobe Acrobat

transfer between users as the patient record is moved.) 2. All result **messages received** must contain the request ID. In the case of. **multiple** ...

www.chime.ucl.ac.uk/work-areas/ehrs/GEHR/EUCEN/del6.pdf - [Similar pages](#) - [Note this](#)

[PDF] Good European Health Record (EC AIM GEHR A2014) Number of pages ...

File Format: PDF/Adobe Acrobat

If this is **received** by a **site** at which that code set is not handled by the **logical objects**.

Reference classes for bulky data within the OM are not ...

www.chime.ucl.ac.uk/work-areas/ehrs/GEHR/EUCEN/del19.pdf - [Similar pages](#) - [Note this](#)

Cover Pages: XML Industry News. July - December 1999.

If the **message** is **received** by a system that is not eBIS enabled, of finding and piecing together **fragments** of data from **multiple** search results. ...

xml.coverpages.org/xmlnews1999H2.html - 775k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] I2-D1 Rule-based Policy Specification: State of the Art and Future ...

File Format: PDF/Adobe Acrobat

tance and overriding, **message control**, policy composition constructs, Moreover, as users navigate across **multiple sites** or request composite services ...

rewerse.net/deliverables/i2-d1.pdf - [Similar pages](#) - [Note this](#)

[PDF] VERITAS Storage Foundation 4.1 for Sybase

File Format: PDF/Adobe Acrobat

at a **remote site**. It is built to contribute to an effective disaster recovery Note If the server is up and running, you will **receive** an error **message** ...

www.sun.com/products-n-solutions/hardware/docs/pdf/875-3728-10.pdf -

[Similar pages](#) - [Note this](#)

[PDF] Storage Foundation for Sybase Administrators Guide

File Format: PDF/Adobe Acrobat

transfer to and from **multiple** disks, striping significantly improves data-access application data at a **remote site**. It is built to contribute to an ...

www.sun.com/products-n-solutions/hardware/docs/pdf/875-3897-10.pdf -

[Similar pages](#) - [Note this](#)

[More results from www.sun.com]

[\[PDF\]](#) **1999 Annual Meeting Abstracts**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

tral space; the larger **sites** (up to 1.0 Ha) are composed of **multiple** Finds regarded as imports and dating to the **end** of M.C. III and begin- ...
www.asor.org/AM/AM99abs.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) **The Building Block Method**

File Format: PDF/Adobe Acrobat

Figure 59: Three **Stage Control** Communication Structuring **message transfer** system to send and **receive messages** from the peripheral units, ...
www.gaudisite.nl/proefschrift_jkm_bbm.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) **Software-Enabled Modular Instrumentation Systems**

File Format: PDF/Adobe Acrobat

an independent application component through which **multiple remote** nodes may be Asynchronous **messages start** an operation that runs in the thread of ...
repository.tudelft.nl/consumption/idcplg?IdcService=GET_FILE&RevisionSelectionMethod=latestReleased... - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) **Progress Dynamics Administration Guide**

File Format: PDF/Adobe Acrobat

Message Control — Displays the **messages** you can use in your application. If an **end-user site** you want to update is maintained with limited **on-site** ...
www.psdn.com/library/servlet/KbServlet/download/1206-102-1041/dag.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) **OpenEdge Development: Progress Dynamics Administration**

File Format: PDF/Adobe Acrobat

OpenEdge **messages end** with a **message** number in parentheses. The **Site Control** on the System menu is also essential to this process (see the "System ...
www.psdn.com/library/servlet/KbServlet/download/1159-102-972/dyadm.pdf - [Similar pages](#) - [Note this](#)

[More results from www.psdn.com]

[\[PDF\]](#) **Understanding the IBM BM TotalStorage Open e Open Software Family ...**

File Format: PDF/Adobe Acrobat

start to the **end** of each mDisk. Conceptually, this is represented in Figure 3-7. **Remote Copy** automatically reconciles the two state **fragments**, ...
www.redbooks.ibm.com/redbooks/pdfs/sg247098.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) **ILM Library: Techniques with Tivoli Storage and IBM TotalStorage ...**

File Format: PDF/Adobe Acrobat

set up **control** mechanisms for autonomic management, and **start** the capacity The **back-end** archive management system can be one of the following IBM ...
www.redbooks.ibm.com/redbooks/pdfs/sg247030.pdf - [Similar pages](#) - [Note this](#)

[More results from www.redbooks.ibm.com]

Elgendi, Hany: Development and implementation of planning ...

When different activities or phases will **start** or **end**? file management functions are needed to facilitate **remote control** of the system content. ?fl? ...
www.ubka.uni-karlsruhe.de/indexer-vvv/2003/bau-geo/8 - 566k - [Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) **PREPARATION OF PAPERS FOR ACCELERATOR CONFERENCES***

File Format: PDF/Adobe Acrobat

files, allow **remote control** of the calibration system and make the information about Also **transfer** to twisted pairs in the **end** of nineties had raised ...

nec2007.jinr.ru/pdf/nec19.pdf - [Similar pages](#) - [Note this](#)

[PDF] Internet – Scale Information Monitoring: A Continual Query ...

File Format: PDF/Adobe Acrobat

individual users do not have to **receive multiple** emails from the system; 2. the CQ system time when queries involve fetching pages from **remote sites** ...

etd.gatech.edu/theses/available/etd-12042003-173321/unrestricted/tang_wei_200312.pdf - [Similar pages](#) - [Note this](#)

[PDF] Database Solutions for Component-Based Software Development in ...

File Format: PDF/Adobe Acrobat

Department. Laboratory. Lab order. **received**. **Transfer** lab **control** information for one Oracle database instance. If **multiple** users are concurrently ...

www.uku.fi/atkk/fixit/comp/db-comparison.pdf - [Similar pages](#) - [Note this](#)

[PDF] Security Aspects and Prospective Applications of RFID Systems

File Format: PDF/Adobe Acrobat

Classification of RFID systems from **low-end** to **high-end** production **sites** in China, RFID tags are used. to **control** final assembly, installation and ...

www.rfidconsultation.eu/docs/ficheiros/RIKCHA_englisch_Layout.pdf - [Similar pages](#) - [Note this](#)

[PDF] OpenLDV Programmer's Guide

File Format: PDF/Adobe Acrobat

When updating an LNS **site** with a central server and **remote** You can program your LNS application to **receive** service pin **messages** from devices on your ...

www.echelon.com/support/documentation/Manuals/devtools/078-0177-01F.pdf - [Similar pages](#) - [Note this](#)

UWTV: Programs - Social Sciences

A speculative computation may **send** and **receive messages**, and it may modify shared preparations at the **remote sites** and how problems were overcome. ...

www.uwtv.org/programs/viewsubject.aspx?fid=569 - 977k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Processing Structured Hypermedia — A Matter of Style

File Format: PDF/Adobe Acrobat

start multiple sessions. The type of operations that a user enables to interact with the

Using **logical objects** to **control** hypertext appearance. ...

homepages.cwi.nl/~jvrosse/thesis/thesis.pdf - [Similar pages](#) - [Note this](#)

Systems and methods for secure transaction management and ...

support **multiple** simultaneous **control** models for the same content property One call to this address is made for each incoming **message received**. ...

www.freepatentsonline.com/6640304.html - [Similar pages](#) - [Note this](#)

Systems and methods for secure transaction management and ...

[0198] support **multiple** simultaneous **control** models for the same content One call to this address is made for each incoming **message received**. ...

www.freepatentsonline.com/20060212722.html - [Similar pages](#) - [Note this](#)

[[More results from www.freepatentsonline.com](#)]

[PDF] Disconnected Operation in a Distributed File System

File Format: PDF/Adobe Acrobat

messages which distribute data or request computation involving **remote** distributed commit protocols **end** up blocking if **site** or communications ...

www.cs.cmu.edu/~coda/docdir/jk-thesis.pdf - [Similar pages](#) - [Note this](#)

@BOOK{Cens93:Statistical, AUTHOR="U. S. Bureau of the Census ...
An Oblique computation may involve **multiple threads of control** within an The first part is the actual **message transfer** delay between any source and ...
www.cs.columbia.edu/~hgs/bib/net94.bib - [Similar pages](#) - [Note this](#)

A Companion to Digital Humanities

The addressee could even **receive** the **message** both in their own language, In this case, stand-off documents identify the **start** and **end** points ...
nora.lis.uiuc.edu/.../9781405103213.xml&doc.view=print&chunk.id=0&toc.depth=1&toc.id=0 - [Similar pages](#) - [Note this](#)

From - Sat Jul 25 12:14:37 1998 X-Mozilla-Status: 0001 Message-ID ...

There really is a lot missing, but it's a **start**. It uses **multiple** In the memory layout which I suggested first, **logical objects** and memory objects ...
lists.tunes.org/archives/ultra.mbox/ultra.mbox - [Similar pages](#) - [Note this](#)

[PDF] Administrators Guide

File Format: PDF/Adobe Acrobat
Security Gateway, CorePlus sends an AccountingRequest **START message** to a Frags received – The number of IP packet **fragments received** by this interface. ...
www.clavister.com/pdf/Clavister_CorePlus_Admin_Guide_8_81.pdf - [Similar pages](#) - [Note this](#)

[PDF] Administrators Guide

File Format: PDF/Adobe Acrobat
Frags received – The number of IP packet **fragments received** by this interface.
Internet **Control Message** Protocol (ICMP), is a protocol integrated with ...
clavister.de/pdf/Clavister_CorePlus_Admin_Guide_8_80.pdf - [Similar pages](#) - [Note this](#)

[PDF] Progress Database Administration Guide and Reference

File Format: PDF/Adobe Acrobat
Progress **messages end** with a **message** number in parentheses. If you **start multiple** brokers, you should also run the Progress Watchdog process ...
www.progress.com/progress/products/documentation/docs/database/dgr/dgr.pdf - [Similar pages](#) - [Note this](#)

[doc] OBJECT-ORIENTED

File Format: Microsoft Word
If our system involves **multiple threads of control**, then we will usually have action and the **receiver** is ready to accept the **message**; the sender and ...
www.uclv.edu.cu/nosotros/Documentos/OOP%20-%20Grady%20Booch.doc - [Similar pages](#) - [Note this](#)

[PDF] Automotive Component Product Development Enhancement Through Multi ...

File Format: PDF/Adobe Acrobat
th k, **start** and **end** points as. params. Bracket: dimensions and which translates the geometry features into **logical objects** that can be subsequently ...
sdm.mit.edu/docs/usam_thesis.pdf - [Similar pages](#) - [Note this](#)

[PDF] PROCEEDINGS 3rd World Congress for Software Quality September 26 ...

File Format: PDF/Adobe Acrobat
will **receive message** y (again, interactions from **multiple** clients can be to decide whether the next **stage** is to **start**. Each of the three aspects of ...
ivs.cs.uni-magdeburg.de/~schmiete/lehre/diplomanden/volume2.pdf - [Similar pages](#) - [Note this](#)

EP1431864 Electronic european software patent - Systems and ...

The **received control** information may be integrated (through use of the These processes are performed **remote** to VDE controlled content **end**-user VDE ... gauss.ffi.org/PatentView/EP1431864 - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) [An Architecture for Authorization and Delegation](#)

File Format: PDF/Adobe Acrobat

view to authentication and access **control**, and **start** my argument why the as an event listener that will **receive messages** in the form of Java events. ...

www.tml.tkk.fi/~pnr/publications/PhDThesis.pdf - [Similar pages](#) - [Note this](#)

[OAI:CITIDEL_RI:1 2002-03-21 link4 link5 link6 Architectural ...](#)

Z paper text tic Context-Free Grammar, RNA, Transfer RNA, Multiple Sequence

Triples are comparable to **logical objects** in database management systems: ...

physjob.nudl.org/~akrownie/ri_ncstrl.xml - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) [Veritas Volume Manager 5.0 Administrator's Guide](#)

File Format: PDF/Adobe Acrobat

The statistics-gathering thread records the **start** and **end** time of each I/O request, and the see "Administering **sites** and **remote** mirrors" on page 423. ...

docs.hp.com/en/5991-5512/5991-5512.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) [Veritas Volume Manager Administrator's Guide](#)

File Format: PDF/Adobe Acrobat

to VxVM **control** with **messages** similar to the following. In addition, you The statistics-gathering thread records the **start** and **end** time of each I/O ...

ftp.support.veritas.com/pub/support/products/Foundation_Suite/283916.pdf -

[Similar pages](#) - [Note this](#)

[The 'Security Digest' Archives \(TM\) : TCP-IP Distribution List for ...](#)

But doing it to a **remote site** is probably not a good idea, if all the machines Most systems simply hang up their **end** when they **receive** that NULL. ...

securitydigest.org/tcp-ip/archive/1993/06/1011k - [Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) [CAA 2007 CONFERENCE PROGRAM Sessions Wednesday Tuesday](#)

File Format: PDF/Adobe Acrobat

high density survey to large, complex **sites** in **remote** locations presents to the vertices corresponding to the **start** and **end** of edges in order to ...

www.caa2007.de/download/caa_brosch_web.pdf - [Similar pages](#) - [Note this](#)

[Systems and methods for secure transaction management and ...](#)

said second **control** set is **received** from a second **remote site**; and For example, the **message** may instruct the **end** user to contact the clearinghouse ...

www.wikipatents.com/5949876.html - [Similar pages](#) - [Note this](#)

[Buried Software Utilities in the Simtel and 'pcmag' Archives ...](#)

The same thing happened to authors who created **multiple** utilities and then Products reviewed are: Reachout **Remote Control** Pro Edition v4.01 (\$199 for ...

www.epic.org/k12/PCMAGUTL.HTM - 977k - [Cached](#) - [Similar pages](#) - [Note this](#)

[Computer Troubleshooting Knowldegebase](#)

If a domain controller cannot be contacted (if on a **remote site** and only connects)

Exclusion - **start** and **end**, e.g. 200.200.200.20 and 200.200.200.30, ...

adrenalthighathletics.com/computerTroubleshooting.htm - [Similar pages](#) - [Note this](#)

[\[doc\]](#) [Contents Preface xi PART 1 * MODEL 1 1 The Players 3 Principals 3 ...](#)

File Format: Microsoft Word

Here's a code **fragment** that performs access **control** and auditing for a in space.25

Each Kerberos ticket is required to have a **start** and **end** time that ...

podgoretsky.com/ftp/Docs/C/Brown/KBPWS.doc - [Similar pages](#) - [Note this](#)

[PDF] Untitled

File Format: PDF/Adobe Acrobat

DTS also allows you to **transfer** indexes and stored procedures between SQL Servers.

Using DTS you can create packages that group together **multiple** ...

www.mmg.tu-sofia.bg/ebooks/Wrox-Professional_SQL_Server_2000_Database_Design.pdf

- [Similar pages](#) - [Note this](#)

[PDF] SafeBoot 4 Device Encryption

File Format: PDF/Adobe Acrobat

via a SafeBoot Server have the type "**Remote**". You can specify **multiple** **stage**

Control Break recommend appropriate operating system security ...

www.de.noxs.com/data/File/vendors/deadministratorsguide.pdf - [Similar pages](#) - [Note this](#)

[PDF] OverviewResearchActivities2002

File Format: PDF/Adobe Acrobat

transfer were realized in cooperation with external partners and via the creation of

start by the **end** of 2003. •. R. van Stee **received** his PhD. ...

www.cwi.nl/publications/annual-reports/2002/ORA/PDF/ora-2002.pdf -

[Similar pages](#) - [Note this](#)

[FLASH] 999 999% /999 i Aristides Dasso, Universidad Nacional de San Luis ...

File Format: Shockwave Flash

Some users activated the menu button of the **remote control** and others waited Each use case has only one **start** and can have **multiple** ending points. ...

www.udgvirtual.udg.mx/biblioteca/bitstream/123456789/1648/2/1591408539_verification.swf - [Similar pages](#) - [Note this](#)

[PDF] Intentional robots The design of a goal-seeking, environment ...

File Format: PDF/Adobe Acrobat

finite one) our eyes **receive** the light and **start** complex chemical reactions do not we say that a TV perceives the signal of its **remote control**, ...

www.liralab.it/papers/theses/riccardo.manzotti.2001.pdf - [Similar pages](#) - [Note this](#)

JOS Statistics - Recent Comments

Sun 18 Jul | Dennis Atkins | OK, I've had a look at their **site** and their tutorials

Incidentally, I find it strange that VNC is the only **remote control** ...

www.usabilitymustdie.com/jos/WW_Weekly_Comments_18_Jul_2004.html -

[Similar pages](#) - [Note this](#)

Computer Science - Publications Computer Science RDF, 6.0mb <RDF ...

Robinson J, Extending the Re-use of Query Results at **Remote Client Sites** the Energy Efficiency of a Metal Reheating Furnace Under **Start Up** Conditions ...

www.hyphen.info/rdf/hero/25_ra2_author.php - [Similar pages](#) - [Note this](#)

[PDF] Proceedings of CombLog'04

File Format: PDF/Adobe Acrobat

example, two **logical objects** depends strongly on the nature of these objects In the network model, principals can send and **receive messages**, at will, ...

wslc.math.ist.utl.pt/ftp/pub/MateusP/04-CDM-comblog.pdf - [Similar pages](#) - [Note this](#)

[PDF] Cisco 12000/10720 v3.2 Router Manager User Guide

File Format: PDF/Adobe Acrobat

The first deployment **stage** is to manually deploy a Generic (**Site**) object. **receive end**, the WRED QoS parameters can be configured for the transmitting ...

www.cisco-pa.com/application/pdf/en/us/

guest/products/ps6056/c2001/ccmigration_09186a0080378970.pdf -

[Similar pages - Note this](#)

[PDF] 1062 Cover FINAL.pmd

File Format: PDF/Adobe Acrobat

The challenge of. that report is to reassemble the **fragments** of this **site** to recon- ... **logical objects**. LIBS is practically nondestructive because less ...

www.ajaonline.org/archive/106.2/pdfs/1062.pdf - [Similar pages - Note this](#)

The Romance of American Psychology

In spite of the ceremonial accolades they **received** at the **end** of the war ("Without

subjects of expert attention and **logical objects** of public policy.

content.cdlib.org/xtf/view?docId=ft696nb3n8&chunk.id=0&doc.view=print -

[Similar pages - Note this](#)

[PDF] ENGINEERING COMMITTEE Data Standards Subcommittee ANSI/SCTE 23-3 ...

File Format: PDF/Adobe Acrobat

Ethernet Interface) and **logical objects** (for example, IP Filter Table). fragmentation headers **received**, **fragments** discarded, and the number ...

www.scte.org/documents/pdf/ANSISCTE2332003DSS0206.pdf - [Similar pages - Note this](#)

[PDF] ANSI/SCTE 23-3 2005

File Format: PDF/Adobe Acrobat

This specifies the user name on the **remote** notification receivers to send fragmentation headers **received**, **fragments** discarded, and the number ...

www.scte.org/documents/standards/approved/ANSI_SCTE%2023-3%202005.pdf -

[Similar pages - Note this](#)

[XLS] top;ISBN;last name of 1st author;authors without affiliation;title ...

File Format: Microsoft Excel

Mapping Transcriptional **Start Sites** and in silico DNA Footprinting. A Telescope Prosthetic Device for Patients with **End-Stage** AMD.- 18. ...

www.springer.com/.../NEWS00704.CSV?SGWID=0-0-45-373025-

0&teaserId=313204&CENTER_ID=342899 - [Similar pages - Note this](#)

[XLS] forthcoming_0706

File Format: Microsoft Excel

These innovations hold promise for treating or preventing **end-stage** organ Mulan:

Multiple-Sequence Alignment to Predict Functional Elements in ...

www.springer.com/.../forthcoming_0706.XLS?SGWID=0-0-45-392602-

0&teaserId=40208&CENTER_ID=70993 - [Similar pages - Note this](#)

[[More results from www.springer.com](#)]

[PS] IAGA 1997 Abstract Book

File Format: Adobe PostScript

Abstract has been **received** by post in Uppsala. The author Each **site** possesses good dating **control**, provided by radiocar- ...

www.irfu.se/IAGA/AbsBook/abstract.ps - [Similar pages - Note this](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 80 already displayed.

If you like, you can [repeat the search with the omitted results included](#).

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Mail](#) [more ▾](#)

kuen_lu@hotmail.com | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

[Advanced Search](#)

[Preferences](#)

New! [View and manage your web history](#)

Web Results 1 - 1 of 1 for "logical object" remote site transfer receive stage control message start end

Tip: Try removing quotes from your search to get more results.

[\[PDF\] Functionally Homogeneous Clustering: a Framework for Building ...](#)

File Format: PDF/Adobe Acrobat

in the quality of data, because **remote sites** are not always functional and The flow of **control** during **message** delivery. The **remote** server begins ...

www.ysaito.com/thesis.pdf - [Similar pages](#) - [Note this](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

logical objects remote site transfer receive sta! Advanced Search

New! [View and manage your web history](#)

Web Personalized Results 1 - 99 of 99 for **logical objects remote site transfer receive stage control mess**

Communications method for an intelligent digital audiovisual ...

[0069] reception of a **remote control** signal: when a command is **received**, in the opposite case at **stage** (749) by sending a corresponding **message** to the ...

www.freepatentsonline.com/20040205171.html - 58k - [Cached](#) - [Similar pages](#) - [Note this](#)

Intelligent digital audiovisual playback system - Patent 7188352

According to another feature the infrared **remote control** device allows At the input, video task (76) is designed to **transfer data received** in ...

www.freepatentsonline.com/7188352.html - 82k - [Cached](#) - [Similar pages](#) - [Note this](#)
[More results from www.freepatentsonline.com]

Multi-protocol memory lookup system and method - US Patent 6826669

The load/store unit may **control** the **transfer** of large data blocks to and from The address counter **logic** 1600 may **receive** the **start** address "Addr_in" ...

www.patentstorm.us/patents/6826669-description.html - 127k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Preliminary Specification of Basic Services and Protocols

File Format: PDF/Adobe Acrobat - [View as HTML](#)

messages received on the **control** channel and the send task disseminates Of course, in order to establish a detection bound in a **remote site** it will ...

www.di.fc.ul.pt/tech-reports/03-18.pdf - [Similar pages](#) - [Note this](#)

[PDF] Research White Paper

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **object** of the exercise is to maintain consistency between a **logical** Metadata

message delivery semantics between **Message Transfer** Agent nodes, ...

www.bbc.co.uk/rd/pubs/whp/whp-pdf-files/WHP148.pdf - [Similar pages](#) - [Note this](#)

EP1286537 Canal european software patent - Routing and processing ...

For example, when the **end** user positions the focus of **remote control** 2080 on the **receiver/decoder** first switches from push mode to pull mode to **start** ...

gauss.ffii.org/PatentView/EP1286537 - 198k - [Cached](#) - [Similar pages](#) - [Note this](#)

EP935200 Ncr european software patent - Highly scalable parallel ...

The **SEND DIAGNOSTICS** and **RECEIVE DIAGNOSTICS** RESULTS are used to **control** and The number of PIT IDs 906 in a single RT-PIT **start message** controls the ...

gauss.ffii.org/PatentView/EP935200 - 162k - [Cached](#) - [Similar pages](#) - [Note this](#)

[More results from gauss.ffii.org]

The Internet Protocol

Chapter 5, The **Internet Control Message** Protocol , discusses the error you will mostly likely **end** up paying for a dedicated link between your **site** and ...

www.acsa.net/IP/index.htm - 442k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] DIPLOMA PROJECT Distributed Delay Constrained Multicast Algorithms ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

After **site** i has **received** a **finish(count, m.) message** from each child **remote object**,

either directly or indirectly, it is possible that the ...
monalisa.caltech.edu/docs/MonALISA-Alexandru_Costan.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\] Network Protocol Performance Evaluation of IPv6 for Windows NT](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
remote terminal emulation utility) and FTP (File Transfer Protocol, ... **Control Message** Protocol), which is controlling and regulating the IP traffic, and ...
www.ee.calpoly.edu/3comproject/masters-thesis/Xie-Peter.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\] Section 6](#)

File Format: PDF/Adobe Acrobat
The DSL system at the **remote site** may be a DSLAM with only DSL **control messages** to be sent, as well as synchronization between links running at ...
www.dslforum.org/mktwork/mr/DSLAnywhere_Issue2.pdf - [Similar pages](#) - [Note this](#)

[Sybase FAQ: 1/19 - index - Dev Archives](#)

that needs to send and **receive from remote sites**. + Plan balanced separation of **objects** across **logical** and physical devices ...
archives.devshed.com/forums/databases-139/sybase-faq-1-19-indext-1479250.html - 358k - [Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] Data Transmission in the Antares Data Acquisition System](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
In order to send or **receive messages** with TCP, it is necessary to first invokes the scheduler of the simulator **object** to **start** the simulation. ...
pds.twi.tudelft.nl/education/masters/theses/rantwijk.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\] IBM WebSphere Application Server Enterprise Version 5.0.2: Servers](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Internet **sites**, whose sponsors **control** the technical accuracy of the information. target **object** intended to **receive** the request **message**. ...
[ftp://ftp.software.ibm.com/software/webserver/appserv/library/wasv502ee_servers.pdf](http://ftp.software.ibm.com/software/webserver/appserv/library/wasv502ee_servers.pdf) - [Similar pages](#) - [Note this](#)

[\[PDF\] IBM WebSphere Business Integration Server Foundation, Version 5.1 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
it to **start**, stop or, in any way, **control** or manage that server. The Base target **object** intended to **receive** the request **message**. **Object** keys are not ...
[ftp://ftp.software.ibm.com/software/webserver/appserv/library/wbif_serverandenv.pdf](http://ftp.software.ibm.com/software/webserver/appserv/library/wbif_serverandenv.pdf) - [Similar pages](#) - [Note this](#)
[[More results from ftp://ftp.software.ibm.com](http://ftp.software.ibm.com)]

[\[PDF\] Mobile Software Development for an Open Source E-Learning Platform](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
include initiating some business **logic**. However, actual business **logic**, computations., interaction with entity **objects** etc, would all be the responsibility ...
openuss.sourceforge.net/openuss/marketing/papers/erlina-wap-openuss.pdf - [Similar pages](#) - [Note this](#)

[Linux.com - P](#)

Some of the web **site** is in English. From LWN Distribution List Padding is the process of adding unused data to the **end of a message** in order to make ...
www.linux.com/guides/Linux-Dictionary/p.shtml - 281k - [Cached](#) - [Similar pages](#) - [Note this](#)

[School - Jeff Werner](#)

Answer above: the AC without **remote**. Accommodating legacy hardware systems. alone, and cut them into **multiple fragments**, then compartmentalized them ...
jeffwerner.ca/school/ - 155k - [Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] Functionally Homogeneous Clustering: a Framework for Building ...](#)

File Format: PDF/Adobe Acrobat

This term is chosen because it is a fragment of a larger, **logical object** The flow of **control** during **message** delivery. The **remote** server begins **message** ...

www.yasaito.com/thesis.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\] inside: Focus Issue: Security](#)

File Format: PDF/Adobe Acrobat

accuracy for **start** and **end** times of. events (e.g., Code Red spread at about seeks to **control the object**. In case of complete mediation, the ...

www.usenix.org/publications/library/proceedings/sec02/confrpts.pdf -

[Similar pages](#) - [Note this](#)

P

Padding is the process of adding unused data to the **end of a message** in order to the program into **multiple fragments** that can execute simultaneously, ...

computerdictionary.tsf.org.za/dictionary/terms/p.html - 621k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] Oracle9 i Application Server: Best Practices](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

presentation and **control logic** that uses this functionality. Such separation allows Once this timeout **message is received**, you can invoke the ...

www.oracle.com/technology/products/ias/ohs/collateral/r2/bp-core-v2.PDF -

[Similar pages](#) - [Note this](#)

[\[PDF\] Oracle9 i Application Server](#)

File Format: PDF/Adobe Acrobat

enqueue or dequeue a **message**. The Oracle9iAS Java **Object** Cache could be used to ... **blocking receive** holds onto a **logical** JDBC OCI connection, ...

www.oracle.com/technology/products/ias/pdf/best_practices/903iASBestPractices.pdf -

[Similar pages](#) - [Note this](#)

[\[PDF\] Procedures Airway Management PROC 1](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Massage end of finger to warm skin, and congest with. blood. Ensuring that the puncture **site** of the fracture **site** into **multiple fragments**. Nerves and ...

www.library.nhs.uk/SpecialistLibrarySearch/Download.aspx?resID=84546 -

[Similar pages](#) - [Note this](#)

[\[PDF\] JRCALC Clinical Practice Guidelines 2004](#)

File Format: PDF/Adobe Acrobat

Heart failure is the **end stage** of many diseases of the The **logical** format of an alert **message** should follow. this consistent approach: ...

www.library.nhs.uk/SpecialistLibrarySearch/Download.aspx?resID=36458 -

[Similar pages](#) - [Note this](#)

[More results from www.library.nhs.uk]

[P Linux Dictionary Web Development Pegasus InfoCorp](#)

Pegasus InfoCorp: Web **site** design and web software development company Padding is the process of adding unused data to the **end of a message** in order to ...

www.pegasusinfocorp.com/web_development_knowledgebase/linuxdictionary/p.html - 342k

- [Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] Migrating to Adaptive Server Enterprise 12.5](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

an error **message** in the following instance: if one or more **remote** servers uses To

ensure source code **control**, use scripts for all changes to **objects** ...
download.sybase.com/pdfdocs/asg1250e/mig_gde.pdf - [Similar pages](#) - [Note this](#)

[PS] Revised 4/25/95 Datagram Protocol Service, part II Copyright 1993 ...

File Format: Adobe PostScript
ities) with a single **remote object**, to know how long it has been since that packets) and round-trip times are short, our flow **control logic** may ...
[ftp://ftp.opengroup.org/pub/dce-mall/dce1.1/rpc-internals.ps.gz](http://ftp.opengroup.org/pub/dce-mall/dce1.1/rpc-internals.ps.gz) - [Similar pages](#) - [Note this](#)

[PDF] A Simultaneous Execution Scheme for Database Caching

File Format: PDF/Adobe Acrobat
one attribute of a big **object** would require copying the entire **object to remote sites** in. case of **content-transfer**. • Push or Pull-Based Propagation ...
deposit.ddb.de/cgi-bin/dokserv?idn=98282971x&dok_var=d1&dok_ext=pdf&filename=98282971x.pdf - [Similar pages](#) - [Note this](#)

Sybase FAQ: 1/19 - index - MyDatabaseSupport Forums

that needs to send and **receive** from **remote sites**. display an error **message** during **start** up if this is not possible. It is ...
www.mydatabasesupport.com/forums/showthread.php?t=130033 - 441k - [Cached](#) - [Similar pages](#) - [Note this](#)

Sybase FAQ: 1/19 - index [Archive] - MyDatabaseSupport Forums

that needs to send and **receive** from **remote sites**. from the Sybase menu under **start** -> **programs** or the **control** panel. Ensure that ...
www.mydatabasesupport.com/forums/archive/index.php/index.php?t-130033.html - 655k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PS] DCE RPC I D S

File Format: Adobe PostScript
send and **receive messages** over sockets, or that simply need to determine what packets) and round-trip times are short, our flow **control logic** may ...
ftp.digital.com/pub/Digital/DCE/rpc_internals.ps.Z - [Similar pages](#) - [Note this](#)

[doc] INTERNATIONAL ORGANISATION FOR STANDARDISATION

File Format: Microsoft Word - [View as HTML](#)
7215, Bruce, IDL function for **message transfer**, Adding msg size to the API for Update Unit for containerization of **multiple Fragments** (for BiME-1) ...
www.itscj.ipsj.or.jp/sc29/open/29view/29n46431.doc - [Similar pages](#) - [Note this](#)

[PDF] Project Number NGNI – Next Generation Networks Initiative Project ...

File Format: PDF/Adobe Acrobat
TCP/IP has only **end-to-end** error checking and flow **control**, while X.25 is **received** by multiple **remote** destinations. IP Broadcasting over ATM typically ...
www.ngni.org/projects/SMONET-D05FINAL.pdf - [Similar pages](#) - [Note this](#)

[PDF] A Digital Assemblage: Diagramming the Social Realities of the ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
who travel down dead **end** roads to reach **remote** villages. from an experience with the assemblage is a sense of how these **objects** and beliefs are ...
cms.mit.edu/research/theses/CandisCallison2002.pdf - [Similar pages](#) - [Note this](#)

IT security glossary

Control logic — The specific order in which processing functions are IMAP permits a "client" e-mail program to access **remote message** stores as if ...
www.scribd.com/doc/81517/IT-security-glossary - 621k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Oracle Application Server Best Practices

File Format: PDF/Adobe Acrobat

For example, you can use the **pre-start** script for **site-specific** location is used instead

MDBs will not **receive messages** and JMS Connections will not ...

docs.huihoo.com/oracle/docs/B14099_19/core.1012/b28654.pdf - [Similar pages](#) - [Note this](#)

[From stark at easynet.fr Mon Nov 1 01:20:31 1999 From: stark at ...](#)

Message-ID: <199911011856.TAA03111@walitza.object-factory.com> > In a Cocoa

You can combine **multiple fragments** into one file, you can have files with ...

www.omnigroup.com/mailman/archive/macosx-dev/1999-November.txt - 223k -

[Cached](#) - [Similar pages](#) - [Note this](#)

P

Padding is the process of adding unused data to the **end of a message** in order to the program into **multiple fragments** that can execute simultaneously, ...

elibrary.fultus.com/technical/topic/com.fultus.linux.guides/guides/Linux-Dictionary/p.html - 514k - [Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] Network Traffic Measurement for the Next Generation Internet](#)

File Format: PDF/Adobe Acrobat

remote agents' MIBs, to either **receive** or set the variables in the agent MIB. The get-request. **message** is generated by the manager to ask certain **object** ...

www.comp.lancs.ac.uk/computing/users/dp/thesis/dp-thesis-crc.pdf -

[Similar pages](#) - [Note this](#)

[\[PDF\] Glossary](#)

File Format: PDF/Adobe Acrobat

vides the **end-to-end** information **transfer** network for supporting military. operations.

works in essentially the same way as the **remote control** on TV. ...

www.infosectoday.com/Articles/Glossary.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\] Lessons Learned From 9/11: DNA Identification in Mass Fatality ...](#)

File Format: PDF/Adobe Acrobat

DMORT provides assistance at the disaster **site** for incidents that exceed the capabili

stage of the analysis, the same quality **control** ...

www.ncjrs.gov/pdffiles1/nij/214781.pdf - [Similar pages](#) - [Note this](#)

[Desktop Guide to Good Juvenile Detention Practice. Series: OJJDP ...](#)

Transfers Most juvenile court acts provide a mechanism to **transfer** It is an effort to ensure that the **message** has been **received** and understood. ...

www.ncjrs.gov/txtfiles/desktop.txt - 954k - [Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] Adaptive Server® Enterprise](#)

File Format: PDF/Adobe Acrobat

To ensure source code **control**, use scripts for all changes to **objects**. This When you drop metrics, the begin range and **end** range must exist. For ...

infocenter.sybase.com/help/topic/com.sybase.dc34982_1500/pdf/mig_gde.pdf -

[Similar pages](#) - [Note this](#)

[\[PDF\] Informix Dynamic Server V10 . . . Extended Functionality for ...](#)

File Format: PDF/Adobe Acrobat

from Web **site** visitors. UDRs are most commonly used to execute **logic** in the found, the instance will not **start** and an error **message** will be written ...

www.redbooks.ibm.com/redbooks/pdfs/sg247299.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\] AH2003: Workshop on Adaptive Hypermedia and Adaptive Web-Based Systems](#)

File Format: PDF/Adobe Acrobat

this **stage**, this simple model makes a **logical** starting point for exploring **received message**. And the third indicator is the further interactions with ...

alexandria.tue.nl/extra1/wskrap/publichtml/200304.pdf - [Similar pages](#) - [Note this](#)

The 'Security Digest' Archives (TM) : TCP-IP Distribution List for ...

You should not count the both **start** and **end** flags for either async PPP or ICMP:

Internet Control Message Protocol. ICMP is used for diagnostics in ...

securitydigest.org/tcp-ip/archive/1994/10 - [Similar pages](#) - [Note this](#)

The 'Security Digest' Archives (TM) : TCP-IP Distribution List for ...

On the server **end**, I started the **remote** using the **start** command. (The **message** is **received**, BTW, and several other **messages** have been exchanged in ...

securitydigest.org/tcp-ip/archive/1993/03 - 814k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] CORBA 2.1 Update Sheet

File Format: PDF/Adobe Acrobat

The ORB manages the **control transfer** and data **transfer** to the **object** implementation A Request or Reply **message** can be broken into **multiple fragments**.

...

[ftp://ftp.omg.org/pub/docs/formal/97-09-01.pdf](http://ftp.omg.org/pub/docs/formal/97-09-01.pdf) - [Similar pages](#) - [Note this](#)

[PDF] Design and semantics of form and movement

File Format: PDF/Adobe Acrobat

The visual styling of **objects** in effect stores **messages**. which reflect and shape the identity of key pad, game console, mouse, **remote control**, etc.). ...

www.desform2006.id.tue.nl/Downloads/901478_Design%20and%20semantics_booklet.pdf - [Similar pages](#) - [Note this](#)

[PDF] GIS and Society:

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Stage 6: an ultimate **end** state in which regulated, integrated, people. management and **control** systems extend into all areas of existence and become a ...

www.iapad.org/publications/ppgis/96-7.pdf - [Similar pages](#) - [Note this](#)

[PDF] Nortel Technical Journal - Issue 5

File Format: PDF/Adobe Acrobat

Communication **Control** Toolkit – and its **logical** When we move from **receive-only** to. two-way video applications, **end** devices ...

www.nortel.com/corporate/news/collateral/ntj5.pdf - [Similar pages](#) - [Note this](#)

[PDF] RealFLO

File Format: PDF/Adobe Acrobat

objects and then mapping the **remote DNP objects** to the same Modbus registers. less than the time out set for the master **message received** on the Slave ...

https://RealFLO%20Software/Manuals/RealFLO_User_and_Reference_Manual.pdf - [Similar pages](#) - [Note this](#)

[PDF] Proceedings

File Format: PDF/Adobe Acrobat

Adaptive fuzzy **logic** based differential pulse code modulation If no **messages** are **received**. form the users within a given time, then the space ...

wwwlb.aub.edu.lb/~webfea/feasc/previous/proceedings.pdf - [Similar pages](#) - [Note this](#)

From noalevy at hotmail.com Sun Apr 1 14:39:30 2007 From: noalevy ...

Any ideas on where to **start** looking? I've been trying to follow the code path in the netfilter/nat **logic**, but it's proving slow going! Thanks, Ben PS. ...

lists.netfilter.org/pipermail/netfilter/2007-April.txt - 429k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] CS-579 Wireless Sensor Networks

File Format: PDF/Adobe Acrobat

ture from **end-to-end logic** to in-network processing. delay if the **receiver** really needs the entire **message to start** pro- cessing. ...
suraj.lums.edu.pk/~muneeb/course/papers/package.pdf - [Similar pages](#) - [Note this](#)

[PDF] Survival and Austere Medicine: An introduction

File Format: PDF/Adobe Acrobat

Start off learning basic first aid. Then try and learn as Aimed at medics working in the oil/gas industry at **remote sites**. ...

www.endtimesreport.com/Survival_Medicine.pdf - [Similar pages](#) - [Note this](#)

[PDF] WebSphere Edge Server: Administration Guide

File Format: PDF/Adobe Acrobat

database to **control** access to Web **sites** by filtering URLs. © Copyright IBM Corp. 2000, 2001 v Optionally, type the **start** and **end** time for the filter. ...

www-900.ibm.com/cn/support/library/sw/download/AdminGd.pdf - [Similar pages](#) - [Note this](#)

[PDF] Untitled

File Format: PDF/Adobe Acrobat

Without careful **control** at this **stage**, data produced can often be unusable. to reconstruct anatomically the **multiple fragments**; the normal length and ...

www.esvot.org/PDF/esvot_vos2002_proceed.pdf - [Similar pages](#) - [Note this](#)

[PDF] Phylogenetic Systematics Using POY final final.book

File Format: PDF/Adobe Acrobat

logical operators are premises that **control** the flow of the algo- **Remote** system type is Unix. Using binary mode to **transfer** files. ftp> bin ...

research.amnh.org/scicomp/pdfs/wheeler/Wheeler_et.al2006b.pdf - [Similar pages](#) - [Note this](#)

From rharinath@novell.com Fri Apr 1 05:50:19 2005 From: rharinath ...

File Format: Unrecognized

It sent 51000 **messages**, all of which where **received** by the C program. [2] Connection from the **end** of the catch region to the **start** of the finally ...

lists.ximian.com/pipermail/mono-devel-list/2005-April.txt.gz - [Similar pages](#) - [Note this](#)

Israel Matzav: March 2006

However, economic policy does not begin and **end** with disengagement, was detonated by **remote control**, and that all of the victims were Israeli. ...

israelmatzav.blogspot.com/2006_03_01_archive.html - 828k -

[Cached](#) - [Similar pages](#) - [Note this](#)

P

An **object-oriented** p-code programming language. From I-gloss Padding is the process of adding unused data to the **end** of a **message** in order to make it ...

downloadfreetrial.com/linux/Linux-Dictionary/g22038.html - 269k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Boing Boing: A Directory of Wonderful Things

This **control** has a design flaw that allows any web **site** to cause it to download and If you're an inventor and a BoingBoing reader, and you **end** up ...
boingboing.net/2005_11_01_archive.html - 977k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] INSTRUCTIONS FOR PREPARING AND TRANSFERRING THE PAPERS

File Format: PDF/Adobe Acrobat

person involved in dialogue at a **remote site** could be seen or ensure that the front **end** is **logical** and attractive as well as. easy to use. ...

<https://1765/1262/1/00-The+New+Educational+Benefits+of+ICT+in+Higher+Education+-+complete+proceedings.pdf> - [Similar pages](#) - [Note this](#)

layer (MAC); the higher element in the DLC is the **logical** link ...
grouper.ieee.org/groups/802/minutes/nov2006/Minutes%20-%20Friday%20November%2017,%202006.pdf - [Similar pages](#) - [Note this](#)

[PDF] Untitled

File Format: PDF/Adobe Acrobat

Remote control programs can have legitimate purposes, such as **remote** system This sets our **start** and **end** points on the incoming packet data: ...
sysop.com.cn/document/Snort2.0.pdf - [Similar pages](#) - [Note this](#)

Quotron: The Da Vinci Code - Myth Making for the Second Coming

"Myth...is a serious **object** of study, because true myth is by definition deadly 454 was Sophie's **remote** access code for picking up her **messages** while ...
www.lkwdpl.org/guides/davincicode/ - 507k - [Cached](#) - [Similar pages](#) - [Note this](#)

[From jds02@mail.xjtu.edu.cn](mailto:jds02@mail.xjtu.edu.cn) Mon Apr 26 01:49:04 2004 From: jds02 ...

File Format: Unrecognized

This **remote-object** has a method "**message()**" that takes one parameter from already downloaded the framework can you mail it in **multiple fragments**? ...
sharon.cselt.it/pipermail/jade-develop/2004q2.txt.gz - [Similar pages](#) - [Note this](#)

[PDF] 32191_Contents v2

File Format: PDF/Adobe Acrobat

correct A and B on **site** then. •. commence **transfer** to nearest suitable receiving. hospital.
•. provide a hospital alert **message** / information call ...

www2.warwick.ac.uk/fac/med/research/hsri/emergencycare/jrcalc_2006/clinical_guidelines_2006.pdf - [Similar pages](#) - [Note this](#)

[PDF] THE THEATRE OF PRISON: POWER AND RESISTANCE, FAMILY AND THE ...

File Format: PDF/Adobe Acrobat

observation, **control**, order, and conformity. This is one of the principles of discipline., that the individual becomes both the means to the **end** and the **end** ...
www.escapeartists.co.uk/images/pdfs/prisontheatre.pdf - [Similar pages](#) - [Note this](#)

Comment is free: Aiding and abetting

We told them: in the **end** you are going to lose, because the Israeli and foreign markets Since the **transfer** of Gaza's border with Egypt to PA **control**, ...
commentisfree.guardian.co.uk/john_hilary/2006/07/aiding_and_abetting.html - 540k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] The CWNA Official Study Guide (PDF)

File Format: PDF/Adobe Acrobat

later used by a malicious hacker for personal gain from a **remote site**. IEEE standard that specifies the **Logical Link Control** (LLC) that ...
cs2.swfc.edu.cn/pub/doc/network_tech/wireless/CWNA_Study_Guide.pdf - [Similar pages](#) - [Note this](#)

[PDF] JRCALC Clinical Practice Guidelines for UK Ambulance Services v3.0

File Format: PDF/Adobe Acrobat

Heart failure is the **end stage** of many diseases of the heart, the fracture **site** into **multiple fragments**. Nerves and blood vessels are placed at ...
www.emergencycarepractitioner.com/2004%20JRCALC%20Guidelines%20v3.0.pdf - [Similar pages](#) - [Note this](#)

[PDF] AC (8) DragonFly System Manager's Manual AC(8) NAME ac — connect ...

File Format: PDF/Adobe Acrobat

Destination – the ATM address of the host at the **remote end** of the VCC. The **control**

object allows you to shut the client down, releasing all leases ...
oyodyne.ath.cx/paper/dflyman/man8.pdf - [Similar pages](#) - [Note this](#)

From news at terraininformatica.com Thu Jun 1 00:27:11 2006 From ...

File Format: Unrecognized
I have represented both MathML and CSS mathematical **objects** in firefox 1.0 Just personal **messages**, but I **received** same reply from other developers. ...
lists.whatwg.org/pipermail/whatwg-whatwg.org/2006-June.txt.gz - [Similar pages](#) - [Note this](#)

[PDF] 2007 National Aviation Research Plan (NARP) Appendices

File Format: PDF/Adobe Acrobat
design cases where the released **multiple fragments** are analyzed. Exploring the use of TIS-B and FIS-B data link **messages** to receive traffic, weather, ...
204.108.5.10/nasiHTML/RED/narp07/2007NARP_APP.pdf - [Similar pages](#) - [Note this](#)

FreeThoughtManifesto: March 2006

The danger of a nuclear handover to terrorists is equally **remote**, the **message** of Islam, despite all the arguments and **logic** produced by the Muslims, ...
freethoughtmanifesto.blogspot.com/2006_03_01_freethoughtmanifesto_archive.html - 667k
- [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] UNIVERSITÀ DEGLI STUDI DI CATANIA FACOLTÀ DI INGEGNERIA ANNO ...

File Format: PDF/Adobe Acrobat
consecutively **received** DICOM **objects** d_n and d_{n+1} do not show the same On the **remote** machine used in step 10 you can **start** a DICOM Storage ...
www.pistorio.net/Research/dicom/Elaborato%20del%20corso/dicomstandard.pdf - [Similar pages](#) - [Note this](#)

[PDF] HiPath HG 1500 V5.0

File Format: PDF/Adobe Acrobat
Click OK to acknowledge the advisory **message** and **start** the backup. This may. take some time. and the **remote end** of the connection is the destination. ...
www.t-vertrieb-mittelstand.de/dlp/eki/downloads/Comfort/Comfort%20Open/englisch_01_07/UG_CO_WBM_en_01_07.pdf - [Similar pages](#) - [Note this](#)

[PDF] Introduction

File Format: PDF/Adobe Acrobat
stage saw this cultural cornucopia abolished, as hegemonic **control** was administered over notion of montage in the video age as —**Multiple Fragments**... ...
wwwlib.murdoch.edu.au/adt/pubfiles/adt-MU20061019.151505/02Whole.pdf - [Similar pages](#) - [Note this](#)

[PDF] 14 International Forensic Science Symposium Interpol œ Lyon 19 œ ...

File Format: PDF/Adobe Acrobat
Kotrlý M, Turkova I. Pigment Analysis of **Objects** d'art in Forensic Casework. The **logical** consequence of this is that a negative **control** does not give ...
www.interpol.int/Public/Forensic/IFSS/meeting14/ReviewPapers.pdf - [Similar pages](#) - [Note this](#)

[PDF] 14 International Forensic Science Symposium Interpol œ Lyon 19 œ ...

File Format: PDF/Adobe Acrobat
These shoes were also more likely to contain **multiple fragments** from The **logical** consequence of this is that a negative **control** does not give ...
www.interpol.com/Public/Forensic/IFSS/meeting14/ReviewPapers.pdf - [Similar pages](#) - [Note this](#)

Report on the Death of Princess Diana

Five minutes later, I **received** the **message** on my mobile from the guard at It had

remained under **remote control** on another section's **control** panel. ...
cryptome.org/diana-death.htm - 977k - [Cached](#) - [Similar pages](#) - [Note this](#)

Article collection of Sverker Johansson, by subject

Davidson, Eric H (1996) 'Biology of developmental transcription **control**', by likelihood phylogenetic estimation from **multiple fragments** of mtDNA', ...
hem.hj.se/~lsj/ARTICLEsubj.htm - [Similar pages](#) - [Note this](#)

Know it all Inc. (F)

(27 Oct 1994) F-Logic An {object-oriented} language and {deductive database} layer protocol for file **transfer** and **remote** manipulation (ISO 8571). ...
artikbre.synchro.net/docs/F.html - 175k - [Cached](#) - [Similar pages](#) - [Note this](#)

Sybase FAQ: 1/19 - index

If an error **message** is presented to the **end** user and we await their 2.2: Platform Specific Issues - NT/2000 2.2.1 How to **Start ASE on Remote NT** ...
www.comphelpone.com/new-6812187-5152.html - 679k -
[Cached](#) - [Similar pages](#) - [Note this](#)

Method of communications for an intelligent digital audiovisual ...

reception of a **remote control** signal: when a command is **received**, at **stage** (823) the jukebox initiates display of a waiting **message** on the display ...
www.wikipatents.com/6308204.html - 451k - [Cached](#) - [Similar pages](#) - [Note this](#)

Audiovisual distribution system for playing an audiovisual piece ...

Remote control set (31) allows the manager, for example from behind the bar, video task (76) from server (9) is designed to **transfer** data **received** in ...
www.wikipatents.com/7124194.html - 434k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.wikipatents.com](#)]

[PDF] Zerone 2005

File Format: PDF/Adobe Acrobat
the **received message** in front of you, which may be the **start** and **end** of tag. A simple tag can be:.. <Message> Hello </Message> ...
doece.oe.edu.np/2005.pdf - [Similar pages](#) - [Note this](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 99 already displayed.

If you like, you can repeat the search with the omitted results included.

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
 The ACM Digital Library The Guide

THE ACM DIGITAL LIBRARY
[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used
[virtualized](#) [write](#) [address](#) [stage](#) [logical](#) [object](#) [multiple](#) [fragments](#) [transfer](#)
Found 14 of 201,890

Sort results by

 [Save results to a Binder](#)
 [Try an Advanced Search](#)

Display results

 [Search Tips](#)
 [Try this search in The ACM Guide](#)
 [Open results in a new window](#)
Results 1 - 14 of 14

Relevance scale

1 GPGPU: general purpose computation on graphics hardware

David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aaron Lefohn

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04
Publisher: ACM Press

 Full text available: [pdf\(63.03 MB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#)

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely powerful and flexible processor. The latest graphics architectures provide tremendous memory bandwidth and computational horsepower, with fully programmable vertex and pixel processing units that support vector operations up to full IEEE floating point precision. High level languages have emerged for graphics hardware, making this computational power accessible. Architecturally, GPUs are highly parallel s ...

2 Real-time shading

Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Randi Rost

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04
Publisher: ACM Press

 Full text available: [pdf\(7.39 MB\)](#) Additional Information: [full citation](#), [abstract](#)

Real-time procedural shading was once seen as a distant dream. When the first version of this course was offered four years ago, real-time shading was possible, but only with one-of-a-kind hardware or by combining the effects of tens to hundreds of rendering passes. Today, almost every new computer comes with graphics hardware capable of interactively executing shaders of thousands to tens of thousands of instructions. This course has been redesigned to address today's real-time shading capabili ...

3 A taxonomy of Data Grids for distributed data sharing, management, and processing

Srikumar Venugopal, Rajkumar Buyya, Kotagiri Ramamohanarao

June 2006 ACM Computing Surveys (CSUR), Volume 38 Issue 1
Publisher: ACM Press

 Full text available: [pdf\(1.70 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Data Grids have been adopted as the next generation platform by many scientific communities that need to share, access, transport, process, and manage large data collections distributed worldwide. They combine high-end computing technologies with

high-performance networking and wide-area storage management techniques. In this article, we discuss the key concepts behind Data Grids and compare them with other data sharing and distribution paradigms such as content delivery networks, peer-to-peer n ...

Keywords: Grid computing, data-intensive applications, replica management, virtual organizations

4 [Link and channel measurement: A simple mechanism for capturing and replaying wireless channels](#)



Glenn Judd, Peter Steenkiste

August 2005 **[Proceeding of the 2005 ACM SIGCOMM workshop on Experimental approaches to wireless network design and analysis E-WIND '05](#)**

Publisher: ACM Press

Full text available: [pdf\(6.06 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Physical layer wireless network emulation has the potential to be a powerful experimental tool. An important challenge in physical emulation, and traditional simulation, is to accurately model the wireless channel. In this paper we examine the possibility of using on-card signal strength measurements to capture wireless channel traces. A key advantage of this approach is the simplicity and ubiquity with which these measurements can be obtained since virtually all wireless devices provide the req ...

Keywords: channel capture, emulation, wireless

5 [Security and reliability: Live updating operating systems using virtualization](#)



Haibo Chen, Rong Chen, Fengzhe Zhang, Binyu Zang, Pen-Chung Yew

June 2006 **[Proceedings of the second international conference on Virtual execution environments VEE '06](#)**

Publisher: ACM Press

Full text available: [pdf\(136.71 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Many critical IT infrastructures require non-disruptive operations. However, the operating systems thereon are far from perfect that patches and upgrades are frequently applied, in order to close vulnerabilities, add new features and enhance performance. To mitigate the loss of availability, such operating systems need to provide features such as live update through which patches and upgrades can be applied without having to stop and reboot the operating system. Unfortunately, most current live ...

Keywords: availability, live update, operating system, virtualization

6 [Concurrent programming without locks](#)



Keir Fraser, Tim Harris

May 2007 **[ACM Transactions on Computer Systems \(TOCS\)](#)**, Volume 25 Issue 2

Publisher: ACM Press

Full text available: [pdf\(1.58 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Mutual exclusion locks remain the *de facto* mechanism for concurrency control on shared-memory data structures. However, their apparent simplicity is deceptive: It is hard to design scalable locking strategies because locks can harbor problems such as priority inversion, deadlock, and convoying. Furthermore, scalable lock-based systems are not readily composable when building compound operations. In looking for solutions to these problems, interest has developed in *nonblocking* sy ...

Keywords: Concurrency, lock-free systems, transactional memory

7 The Direct3D 10 system

 David Blythe

July 2006 **ACM Transactions on Graphics (TOG) , ACM SIGGRAPH 2006 Papers**

SIGGRAPH '06, Volume 25 Issue 3

Publisher: ACM Press

Full text available:  pdf(377.38 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

 mov(23:56 MIN)

terms

We present a system architecture for the 4th generation of PC-class programmable graphics processing units (GPUs). The new pipeline features significant additions and changes to the prior generation pipeline including a new programmable stage capable of generating additional primitives and streaming primitive data to memory, an expanded, common feature set for all of the programmable stages, generalizations to vertex and image memory resources, and new storage formats. We also describ ...

Keywords: graphics systems, programmable graphics hardware, programmable shading

8 A principled approach to operating system construction in Haskell

 Thomas Hallgren, Mark P. Jones, Rebekah Leslie, Andrew Tolmach

September 2005 **ACM SIGPLAN Notices , Proceedings of the tenth ACM SIGPLAN**

international conference on Functional programming ICFP '05, Volume

40 Issue 9

Publisher: ACM Press

Full text available:  pdf(154.82 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index](#)



We describe a monadic interface to low-level hardware features that is a suitable basis for building operating systems in Haskell. The interface includes primitives for controlling memory management hardware, user-mode process execution, and low-level device I/O. The interface enforces memory safety in nearly all circumstances. Its behavior is specified in part by formal assertions written in a programming logic called P-Logic. The interface has been implemented on bare IA32 hardware using the G ...

Keywords: Haskell, hardware interface, monads, operating systems, programming logic, verification

9 An implementation and analysis of the virtual interface architecture

Philip Buonadonna, Andrew Geweke, David Culler

November 1998 **Proceedings of the 1998 ACM/IEEE conference on Supercomputing (CDROM) Supercomputing '98**

Publisher: IEEE Computer Society

Full text available:  html(60.53 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)



Rapid developments in networking technology and a rise in clustered computing have driven research studies in high performance communication architectures. In an effort to standardize the work in this area, industry leaders have developed the Virtual Interface Architecture (VIA) specification. This architecture seeks to provide an operating system-independent infrastructure for high-performance user-level networking in a generic environment. This paper evaluates the inherent costs and performanc ...

Keywords: cluster, interconnect, network, system-area, user-level, virtual interface architecture

10 Frangipani: a scalable distributed file system

 Chandramohan A. Thekkath, Timothy Mann, Edward K. Lee
October 1997 **ACM SIGOPS Operating Systems Review , Proceedings of the sixteenth ACM symposium on Operating systems principles SOSP '97**, Volume 31 Issue 5

Publisher: ACM Press

Full text available:  [pdf\(2.20 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

11 DISE: a programmable macro engine for customizing applications

 Marc L. Corliss, E. Christopher Lewis, Amir Roth
May 2003 **ACM SIGARCH Computer Architecture News , Proceedings of the 30th annual international symposium on Computer architecture ISCA '03**, Volume 31 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(335.30 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Dynamic Instruction Stream Editing (DISE) is a cooperative software-hardware scheme for efficiently adding customization functionality---e.g, safety/security checking, profiling, dynamic code decompression, and dynamic optimization---to an application. In DISE, application customization functions (ACFs) are formulated as rules for macro-expanding certain instructions into parameterized instruction sequences. The processor executes the rules on the fetched instructions, feeding the executi ...

12 Spatial computation

 Mihai Budiu, Girish Venkataramani, Tiberiu Chelcea, Seth Copen Goldstein
October 2004 **ACM SIGARCH Computer Architecture News , ACM SIGPLAN Notices , ACM SIGOPS Operating Systems Review , Proceedings of the 11th international conference on Architectural support for programming languages and operating systems ASPLOS-XI**, Volume 32 , 39 , 38 Issue 5 , 11 , 5

Publisher: ACM Press

Full text available:  [pdf\(573.00 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This paper describes a computer architecture, *Spatial Computation* (SC), which is based on the translation of high-level language programs directly into hardware structures. SC program implementations are completely distributed, with no centralized control. SC circuits are optimized for wires at the expense of computation units. In this paper we investigate a particular implementation of SC: ASH (Application-Specific Hardware). Under the assumption that computation is cheaper than co ...

Keywords: application-specific hardware, dataflow machine, low-power, spatial computation

13 Simulation and architecture evaluation: Using modern graphics architectures for general-purpose computing: a framework and analysis

Chris J. Thompson, Sahngyun Hahn, Mark Oskin
November 2002 **Proceedings of the 35th annual ACM/IEEE international symposium on Microarchitecture MICRO 35**

Publisher: IEEE Computer Society Press

Full text available:   [pdf\(1.07 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[Publisher Site](#)

Recently, graphics hardware architectures have begun to emphasize versatility, offering rich new ways to programmatically reconfigure the graphics pipeline. In this paper, we

explore whether current graphics architectures can be applied to problems where general-purpose vector processors might traditionally be used. We develop a programming framework and apply it to a variety of problems, including matrix multiplication and 3-SAT. Comparing the speed of our graphics card implementations to stand ...

14 Chromium: a stream-processing framework for interactive rendering on clusters

 Greg Humphreys, Mike Houston, Ren Ng, Randall Frank, Sean Ahern, Peter D. Kirchner,

James T. Klosowski

July 2002 **ACM Transactions on Graphics (TOG) , Proceedings of the 29th annual conference on Computer graphics and interactive techniques SIGGRAPH '02**, Volume 21 Issue 3

Publisher: ACM Press

Full text available:  [pdf\(27.83 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We describe Chromium, a system for manipulating streams of graphics API commands on clusters of workstations. Chromium's stream filters can be arranged to create sort-first and sort-last parallel graphics architectures that, in many cases, support the same applications while using only commodity graphics accelerators. In addition, these stream filters can be extended programmatically, allowing the user to customize the stream transformations performed by nodes in a cluster. Because our stream pr ...

Keywords: cluster rendering, parallel rendering, remote graphics, scalable rendering, stream processing, tiled displays, virtual graphics

Results 1 - 14 of 14

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)
[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)
 [e-mail](#)

Results for "((virtualized <in>metadata) <and> (address<in>metadata))"

Your search matched 16 of 1577925 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» **Search Options**[View Session History](#)[New Search](#)» **Key**

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

 Check to search only within this results set
Display Format: Citation Citation & Abstract

1. **Support for adaptivity in ARMCI using migratable objects**
 Chao Huang; Chee Wai Lee; Kale, L.V.;
Parallel and Distributed Processing Symposium, 2006. IPDPS 2006. 20th Inter
 25-29 April 2006 Page(s):9 pp.
 Digital Object Identifier 10.1109/IPDPS.2006.1639720
[AbstractPlus](#) | Full Text: [PDF\(256 KB\)](#) IEEE CNF
[Rights and Permissions](#)

2. **VIPSEC: virtualized and pluggable security services infrastructure for ad-hoc computing**
 Naqvi, S.; Riguidel, M.;
Network Computing and Applications, 2004. (NCA 2004). Proceedings. Third International Symposium on
 2004 Page(s):362 - 365
 Digital Object Identifier 10.1109/NCA.2004.1347801
[AbstractPlus](#) | Full Text: [PDF\(270 KB\)](#) IEEE CNF
[Rights and Permissions](#)

3. **An Innovative Master's Program in Distributed Computing**
 Buyya, R.; Ramamohanarao, K.;
Distributed Systems Online, IEEE
 Volume 8, Issue 1, Jan. 2007 Page(s):2 - 2
 Digital Object Identifier 10.1109/MSDO.2007.1
[AbstractPlus](#) | Full Text: [PDF\(88 KB\)](#) IEEE JNL
[Rights and Permissions](#)

4. **Virtual computing infrastructures for nanoelectronics simulation**
 Fortes, A.B.; Figueiredo, J.; Lundstrom, M.S.;
Proceedings of the IEEE
 Volume 93, Issue 10, Oct. 2005 Page(s):1839 - 1847
 Digital Object Identifier 10.1109/JPROC.2005.853545
[AbstractPlus](#) | Full Text: [PDF\(592 KB\)](#) IEEE JNL
[Rights and Permissions](#)

5. **Replica Update Propagation for Grid Data Resources**
 Ciglan, M.; Hluchy, L.;
Enabling Technologies: Infrastructure for Collaborative Enterprises, 2006. WEI. IEEE International Workshops on

June 2006 Page(s):222 - 226
Digital Object Identifier 10.1109/WETICE.2006.56
[AbstractPlus](#) | [Full Text](#): [PDF\(129 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 6. Access Control Strategies for Virtualized Environments in Grid Computing**
Squicciarini, Anna Cinzia; Bertino, Elisa; Goasguen, Sébastien;
[Future Trends of Distributed Computing Systems, 2007. FTDCS '07. 11th IEEE Workshop on](#)
March 2007 Page(s):48 - 54
Digital Object Identifier 10.1109/FTDCS.2007.10
[AbstractPlus](#) | [Full Text](#): [PDF\(293 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 7. Domain Based Access Control Model for Distributed Collaborative Applications**
Demchenko, Y.; de Laat, C.; Gommans, L.; van Buuren, R.;
[e-Science and Grid Computing, 2006. e-Science '06. Second IEEE International Conference on](#)
Dec. 2006 Page(s):24 - 24
Digital Object Identifier 10.1109/E-SCIENCE.2006.261108
[AbstractPlus](#) | [Full Text](#): [PDF\(239 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 8. User Programmable Virtualized Networks**
Meijer, R.J.; Strijkers, R.J.; Gommans, L.; de Laat, C.;
[e-Science and Grid Computing, 2006. e-Science '06. Second IEEE International Conference on](#)
Dec. 2006 Page(s):43 - 43
Digital Object Identifier 10.1109/E-SCIENCE.2006.261127
[AbstractPlus](#) | [Full Text](#): [PDF\(286 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 9. Application Performance Management in Virtualized Server Environment**
Khanna, G.; Beaty, K.; Kar, G.; Kochut, A.;
[Network Operations and Management Symposium, 2006. NOMS 2006. 10th IFIP International Conference on](#)
2006 Page(s):373 - 381
Digital Object Identifier 10.1109/NOMS.2006.1687567
[AbstractPlus](#) | [Full Text](#): [PDF\(464 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 10. GiSK: making secure, reliable and scalable VO repository virtualizing geoinformation**
Eunsung Kim; Kim, H.S.; Yeom, H.Y.; Jongsook Lee;
[High-Performance Computing in Asia-Pacific Region, 2005. Proceedings. Eighth International Conference on](#)
30 Nov.-3 Dec. 2005 Page(s):8 pp.
Digital Object Identifier 10.1109/HPCASIA.2005.43
[AbstractPlus](#) | [Full Text](#): [PDF\(392 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 11. IPv6 addressing architecture support for ad hoc networks**
Chelius, G.; Fleury, E.;
[Wireless Ad-Hoc Networks, 2004 International Workshop on](#)
31 May-3 June 2004 Page(s):150 - 155
Digital Object Identifier 10.1109/IWAN.2004.1525560
[AbstractPlus](#) | [Full Text](#): [PDF\(436 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 12. Virtualized Classroom - Automated Production, Media Integration and Usability**
Zhigang Zhu; McKittrick, C.; Weihong Li;

[Computer Vision and Pattern Recognition Workshop, 2004 Conference on](#)
27-02 June 2004 Page(s):138 - 138
Digital Object Identifier 10.1109/CVPR.2004.199
[AbstractPlus](#) | Full Text: [PDF\(728 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 13. Enabling multi-finger, multi-hand virtualized grasping**
Barbagli, F.; Salisbury, K., Jr.; Devengenzo, R.;
[Robotics and Automation, 2003. Proceedings. ICRA '03. IEEE International Conference on](#)
Volume 1, 14-19 Sept. 2003 Page(s):809 - 815 vol.1
[AbstractPlus](#) | Full Text: [PDF\(508 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 14. Who needs addresses?**
Guruprasad, V.;
[Universal Multiservice Networks, 2000. ECUMN 2000. 1st European Conference on](#)
2-4 Oct. 2000 Page(s):403 - 413
Digital Object Identifier 10.1109/ECUMN.2000.880792
[AbstractPlus](#) | Full Text: [PDF\(840 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 15. Protection is a software issue**
Bershad, B.N.; Savage, S.; Pardyak, P.; Becker, D.; Fiuczynski, M.; Sirer, E.G.
[Hot Topics in Operating Systems, 1995. \(HotOS-V\). Proceedings., Fifth Workshop on](#)
4-5 May 1995 Page(s):62 - 65
Digital Object Identifier 10.1109/HOTOS.1995.513456
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 16. In-VIGO virtual networks and virtual application services: automated grid deployment of applications**
Tsugawa, M.; Matsunaga, A.; Liping Zhu; Sanjeepan, V.; Lam, H.; Figueiredo, J.A.B.;
[High Performance Distributed Computing, 2005. HPDC-14. Proceedings. 14th International Symposium on](#)
24-27 July 2005 Page(s):312 - 313
Digital Object Identifier 10.1109/HPDC.2005.1520990
[AbstractPlus](#) | Full Text: [PDF\(124 KB\)](#) IEEE CNF
[Rights and Permissions](#)